

LEVER HANDLE SASHLOCK

Dortez 800 Series Lock

Model	Illustration	Function / Operation
801	Inside Outside	Passage latch Latch bolt operated by handle from both side.
805		Sashlock Latch bolt operated by handle from both side. Cylinder operate deadbolt (double throw) and latch bolt after deadbolt is fully retracted.
807		Classroom Latch bolt operated by inside lever at all time. Outside lever can be locked or unlocked by cylinder, Locking is by guarded latch bolt.
808		Storeroom / Night-latch Latch bolt operated by lever handle from inside at all time. Outside lever handle always fixed (alternatively, outside without lever handle-nightlatch function). Cylinder operate latch bolt. Closing door lock by guarded latch. Turning inside lever handle retract latch bolt.
809		Anti-panic Latch bolt operated by lever handle from inside at all time. Outside lever handle always fixed. Cylinder operate deadbolt (double throw).Closing door lock by guarded latch. Turning inside lever handle retract both latch and deadbolt simultaneously in anti-panic mode.

Features

- For model 801 and 805 mortice case, use single piece 8mm square spindle.

 For model 807, 808 and 809 mortice case, use split 8mm square spindle and through mounting for rosette

DORTEZ EURO-PROFILE CYLINDER

P01N35/35 single-turn cylinder



Body of machined brass. Finishes in dull nickel-plated as standard Other finishes on special order only.

P03N35/10 single cylinder



Can be Grand master, Master, Cross master, Construction master, key-alike and key differ.

P04N35/10 half-turn Non-keyed cylinder



Other lengths and asymmetrical cylinder to special order only.

P02N35/35 double cylinder



Brass chrome plated keys in common Y profile. 6 pins tumbler cylinder offer over 20,000 key combinations.

P00N35/35 E-slot-turn Non-keyed cylinder



Standard length for single-turn & double symmetrical cylinder:- 35/35 mm half cylinder:- 35/10 mm

PASSAGE LATCH

Model: 801 Passage latch

Features:

Reversible stainless steel latchbolt. 60mm backset 8 mm Square splindle.

Finish: - stainless steel forend -Galvanised steel body



SASHLOCK

Model: 805 Sashlock

Features:

Reversible stainless steel latchbolt. Double throw stainless steel deadbolt. 60mm backset 8 mm Square splindle. 72mm centre. Fit euro-profile cylinders

Finish: - stainless steel forend -Galvanised steel body



CLASSROOM LOCK

Model: 807 Classroom lock

Features:

Reversible stainless steel latchbolt and guard bolt 60mm backset 8 mm Square split-splindle. 72mm center. Fit euro-profile cylinder

Finish: - stainless steel forend -Galvanised steel body



0

ANTI-PANIC LOCK

Model: 809 Anit-panic lock

Features:

Reversible stainless steel latchbolt and guard bolt. Double throw stainless steel deadbolt. 60mm backset 8 mm Square split splindle. 72mm centre. Fit euro-profile cylinders

Finish: - stainless steel forend -Galvanised steel body

CHOICE OF IRONMONGERIES



SPECIFICATION PROPOSAL



Kobe 150mm SS Auto flush bolt

Description: Automatic flush bolts

160L X 20W Size

Material: SUS-304 stainless steel in satin finish All double leave fire rated doors. Location:



Kobe 250mm Sf SS Door Selector Kobe Hinge

Description: Kobe door selector

Size: 250 mm

SUS-304 stainless steel with rubber roller tip Material:

All double leave rebated doors Location:



Dortez

Description: Dortez DZ 100 BC overhead door closer

EN 3 for fire rated door Size:

Pressure die-casted aluminium with ball joint attachment steel arm assembly Material:

dual speed adjustment rack-and pinion Features:



Description: Kobe butt hinges

127 X 89 X 2.5mm five knuckle Material:

SUS-304 stainless steel in hairline finish Fix stainless steel pin with button tips

Location: 127mm - All fire-rated doors

Warisandor Marketing sdn Bhd

Lot 46099, Mukim Batu, Daerah Gombak, Batu 9, Jalan Sungai Tua, 68100 Batu Caves, 68100 Selangor Tel: 603-61861233 Fax: 603-6188 8366 Email: warisandorsb@gmail.com Website: www.firedoor.com.my

Mensfield Fire-Tec Sdn Bhd

Lot 46099, Mukim Batu, Daerah Gombak, Batu 9, Jalan Sungai Tua, 68100 Batu Caves, 68100 Selangor Tel: 603-61861233 Fax: 603-6188 8366 Email: warisandorsb@gmail.com Website: www.firedoor.com.my

Warisandor Marketing Sdn Bhd (Sg. Petani)

A4, Lorong 11/1, Taman Bandar Baru, Jalan Kelab Cinta Sayang, 08000 Sg Petani Kedah Tel: 604-4424875 Fax: 604-4424906 Email: warisandorsp@gmail.com

Warisandor (Southern) Sdn Bhd (Johor)

143, Jalan Molek 2, Taman Molek, 81100 Johor Bahru

Tel: 6016-7331240 Fax: 607-3613143 Email: warisandor08@gmail.com