

WARISANDOR MARKETING SDN. BHD.

Model : Warisan MFKL / SL / 2H / 19mm / PRIS

Leaders
in fire
resistance
doorset
technology






2 Hour
Door

Plywood Finish
&
Vision Panel



DORTEZ MORTISE LOCKSET FRMC 6072

Dortez 800 Series Lock

Illustration	Function / Operation
	Passage latch Latch bolt operated by handle from both side.
	Sashlock Latch bolt operated by handle from both side. Cylinder operate deadbolt (double throw) and latch bolt after deadbolt is fully retracted.
	Classroom Latch bolt operated by inside lever at all time. Outside lever can be locked or unlocked by cylinder. Locking is by guarded latch bolt.
	Storeroom / Night-latch Latch bolt operated by lever handle from inside at all time. Outside lever handle always fixed (alternatively, outside without lever handle-nightlatch function). Cylinder operate latch bolt. Closing door lock by guarded latch. Turning inside lever handle retract latch bolt.
	Anti-panic Latch bolt operated by lever handle from inside at all time. Outside lever handle always fixed. Cylinder operate deadbolt (double throw) Closing door lock by guarded latch. Turning inside lever handle retract both latch and deadbolt simultaneously in anti-panic mode.

Features

- 1 For model 801 and 805 mortise case, use single piece 8mm square spindle.
- 2 For model 807, 808 and 809 mortise case, use split 8mm square spindle and through mounting for rosette.


DORTEZ EURO-PROFILE CYLINDER

P01N35/35 single-turn cylinder




Body of machined brass.
 Finishes in dull nickel-plated as standard
 Other finishes on special order only.

P02N35/35 double cylinder



Brass chrome plated keys
 in common Y profile.
 6 pins tumbler cylinder
 offer over 20,000 key combinations.

P03N35/10 single cylinder




Can be Grand master, Master,
 Cross master, Construction
 master, key-alike and key differ.

P00N35/35 E-slot-turn Non-keyed cylinder



Standard length for single-turn & double
 symmetrical cylinder:- 35/35 mm
 half cylinder:- 35/10 mm

P04N35/10 half-turn Non-keyed cylinder



Other lengths and asymmetrical cylinder to special order only.

PASSAGE LATCH

Model: 801 Passage latch

Features:

Reversible stainless steel latchbolt.
 60mm backset
 8 mm Square spindle.

Finish: - stainless steel forend
 -Galvanised steel body



SASHLOCK

Model: 805 Sashlock

Features:

Reversible stainless steel latchbolt.
 Double throw stainless steel deadbolt.
 60mm backset
 8 mm Square spindle.
 Fit euro-profile cylinders

Finish: - stainless steel forend
 -Galvanised steel body



CLASSROOM LOCK

Model: 807 Classroom lock

Features:

Reversible stainless steel latchbolt
 and guard bolt
 60mm backset
 8 mm Square split-splindle.
 Fit euro-profile cylinder

Finish: - stainless steel forend
 -Galvanised steel body



ANTI-PANIC LOCK

Model: 809 Anti-panic lock

Features:

Reversible stainless steel latchbolt
 and guard bolt.
 Double throw stainless steel deadbolt.
 60mm backset
 8 mm Square split splindle.
 Fit euro-profile cylinders

Finish: - stainless steel forend
 -Galvanised steel body





LEC9000-1




LEC9000-2



LEC9000-3



LEC9000-4



LEC9000-5




LEC9000-6



LEC9000-7



LEC9000-8



LEC9000-9



LEC9000-10



LEC9000-11



LEC9000-12

SPECIFICATION PROPOSAL



Dortez

Description : Dortec 524 series mounted door closer.

Size : 1-4, 2-5, 3-6 **ANSI BHMA A156.4 - 2008**



Kobe Hinge

Description : Kobe butt hinges

Size : 127 x 89 x 3mm five knuckle

Material : SUS-304 stainless steel in hairline finish
Fix stainless steel pin with button tips

Location : 127mm - All fire-rated doors.

WARISANDOR
MARKETING SDN. BHD.

EN1935:2002 + AC:2004

Lot 46099, Mukim Batu, Daerah Gombak, Batu 9, Jalan Sungai Tua, 68100 Batu Caves, 68100 Selangor.
Tel: 603-61861233 Fax: 603-6188 8366 Email: warisandorsb@gmail.com Website: www.firedoor.com

Warisandor Marketing Sdn Bhd (Sg.Petani)

A4, Lorong 11/1, Taman Bandar Baru, Jalan Kelab Cinta Sayang, 08000 Sungai Petani, Kedah.

Tel: 604-442 4875 Fax: 604-442 4906 Email: warisandorsp@gmail.com

Warisandor (Southern) Sdn Bhd (Johor)

143, Jalan Molek 2, Taman Molek, 81100 Johor Bahru

Tel: 6016-7331240 Fax: 607-3613143 Email: warisandor08@gmail.com